

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of:

Bradley R. Johnson et al.

Patent No. 7,211,296

Issued: May 1, 2007

Application No. 10/646,264

Filed: August 22, 2003

Confirmation No. 9466

For: CHALCOGENIDE GLASS
NANOSTRUCTURES

Examiner: David P. Turocy

Art Unit: 1762

Attorney Reference No. 23-70761-01

FILED VIA EFS

ON 12/9/08

FILED VIA ELECTRONIC FILING SYSTEM
COMMISSIONER FOR PATENTS

REQUEST FOR CERTIFICATE OF CORRECTION

The following printing errors were noted in comparing the printed patent with the papers in the attorneys' files:

On the Cover:

In Other Publications, "Chalcogenidt" should read --Chalcogenide--.

In the Abstract:

"of on a substrate" should read --of a substrate--.

In the Specification:

Column 5, line 30, "illustrating of a system" should read --illustrating a system--.

Column 6, line 55, "illustrating a specific" should read --illustrating specific--.

Column 7, line 41, "furnace 26" should read --furnace 126--.

Since the errors are not attributable to the Patent Office, the fee of \$100.00 pursuant to 37 C.F.R. 1.20(a) is being submitted electronically herewith. The preceding corrections remedy

mistakes of a typographical nature and/or minor character. The Certificate of Correction is enclosed to make formal notice of the errors in the referenced patent.

Respectfully submitted,

KLARQUIST SPARKMAN, LLP

By

A handwritten signature in black ink, appearing to read 'Lisa M. Caldwell', is written over a horizontal line.

Lisa M. Caldwell

Registration No. 41,653

One World Trade Center, Suite 1600
121 S.W. Salmon Street
Portland, Oregon 97204
Telephone: (503) 595-5300
Facsimile: (503) 595-5301

**UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION**

PATENT NO. : 7,211,296

DATED : May 1, 2007

INVENTOR(S) : Bradley R. Johnson et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

On the Cover:

In Other Publications, "Chalcogenidt" should read --Chalcogenide--.

In the Abstract:

"of on a substrate" should read --of a substrate--.

In the Specification:

Column 5, line 30, "illustrating of a system" should read --illustrating a system--.

Column 6, line 55, "illustrating a specific" should read --illustrating specific--.

Column 7, line 41, "furnace 26" should read --furnace 126--.

MAILING ADDRESS OF SENDER:
Klarquist Sparkman, LLP
One World Trade Center, Suite 1600
121 SW Salmon Street
Portland, Oregon 97204

PATENT NO. 7,211,296
No. of add'l copies _____
(@ .30 per page)